GRANT OF EQUIPMENT AUTHORIZATION

Certification

Issued Under the Authority of the Federal Communications Commission

3v:

SGS North America, Inc. 620 Old Peachtree Road NW Suite 100 Suwanee, GA 30024 Date of Grant: 05/16/2025

Application Dated: 05/16/2025

UAB Teltonika Networks K. Barsausko st. 66 Kaunas, LT-51436 Lithuania

Attention: Mantas Cizauskas,

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AET4RUTX11NA

Name of Grantee: UAB Teltonika Networks

Equipment Class: Digital Transmission System

Notes: LTE Cat 6 Router, Ethernet Router

	Frequency	Output	Frequency	Emission
FCC Rule Parts	Range (MHZ)	<u>Watts</u>	Tolerance	<u>Designator</u>
15C	2402.0 - 2480.0	0.0093		
15C	2412.0 - 2462.0	0.0281	1	
15C	2422.0 - 2452.0	0.0339	D	
	15C 15C	FCC Rule Parts Range (MHZ) 15C 2402.0 - 2480.0 15C 2412.0 - 2462.0	FCC Rule Parts Range (MHZ) Watts 15C 2402.0 - 2480.0 0.0093 15C 2412.0 - 2462.0 0.0281	FCC Rule Parts Range (MHZ) Watts Tolerance 15C 2402.0 - 2480.0 0.0093 15C 2412.0 - 2462.0 0.0281

Power Output listed is conducted. Device is an 802.11b/g/n device in a 2x2 Spatial Multiplexing MIMO configuration and enabled for 2.4 GHz band operations as described in this filing. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons. Co-location of this module with other transmitters that operate simultaneously are required to be evaluated using the FCC multitransmitter procedures. End-Users must be provided with transmitter operation conditions for satisfying RF exposure compliance. This device supports 20MHz and 40MHz bandwidth modes.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.

TCB