





Product Change Notification

| | | |
|---|--|--|
| PCN number: PCN_RUT240_2022_08_18_EN_CIEL | | Date: 2022.08.18 |
| Change description | | |
| Change type | External/visual | |
| Detailed description | <p>The device's unique default password will be added to the bottom engraving/labeling. The formatting for the remaining information on the labeling/engraving will be adjusted, and the Fira font will be used instead of Arial. The device's unique default password information will also be added to the QR code information displayed after scanning QR code with syntax: WIFI:T:WPA;S:{{WIFISSID}};P:{{PASSWORD}};SN:{{SERIAL}};I:{{IMEI}};M:{{MAC}};U:admin;PW:{{DEVICEPASSWORD}};B:{{BATCH}};</p> <p>From the device top engraving/labeling, the previously relevant authentication information text will be removed: User/Pass: admin/admin01.</p> <p>The labeling on the product packaging will stay unchanged.</p> | |
| | <p>Old top engraving/labeling:</p>  | <p>New top engraving/labeling:</p>  |
| | <p>Old bottom engraving/labeling:</p>  | <p>New bottom engraving/labeling:</p>  |
| | <p>Change reasons</p> <p>To accommodate the change from the standard default password to a unique default password for each device.</p> | |

| | |
|---|---------------|
| Affected products information | |
| All RUT240 ***** product codes are affected. No product code changes. | |
| Upcoming change date | 2022, week 35 |

| | |
|------------------------|---|
| Change impact | |
| Risk Assessment | Changes to top labeling/engraving. Device's unique default password will be present on the product itself. This might impact marketing materials due to changing contents of the bottom informational engraving/labeling. |
| Suggested action taken | No implementation plan needed. |

| | |
|--|--|
| Acknowledgement of PCN Receipt | |
| If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above. | |