Setting up iptv using rutxx router template

Pages with ignored display titles > Setting up iptv using rutxx router template

Contents

- 1 Introduction
- 2 Overview
 - 2.1 Prerequisites
 - 2.2 Network topology
 - 2.3 Suggestions
- 3 Step1: Configure WAN
- 4 Step 2: Configure VLANs
- 5 Step 3: Configure LAN
- 6 Step 4: Configuration testing
- 7 Conclusion

Introduction

Nowadays almost all people around the globe uses IPTV which is provided through their internet service provider. In a lot of cases, ISP (internet service provider) insist that you should use their router. The problem with those routers is that the usage of them is limited but you want to have more functionality then they provide. You start using other routers, but you can't get IPTV to work. The question is how to do that? In this tutorial we want to show how it's easy to set up IPTV using RUTX series routers.

Overview

Prerequisites

In this configuration example we will going to use a RUTX series router. It can be <u>RUTX08</u>, <u>RUTX09</u>, <u>RUTX10</u> or <u>RUTX11</u> router model. The most important here is the ISP. Your ISP should provide IPTV service and you should have the IPTV service enabled.

Important: If the IPTV service isn't enabled for you, this tutorial will not help you.

Network topology

[[File:{{{network topology}|border|class=tlt-border]]

Suggestions

Before you start we recommend to watch $\underline{\text{this}}$ quick start guide video how to set up your router for work.

Step1: Configure WAN

To get started, first you need to login on to your router. You can do this by typing your router's IP address into your web browser's url bar. By default your IP address should be **192.168.1.1**. If the IP address is correct, you should see a web page like in the picture below.

```
[[File:{{{login page}}}|border|class=tlt-border]]
```

In this page you have to enter your **Username** and **Password** to login on to your router.

After login in to your router, you need to set up your **WAN**. To find **WAN** configuration, you need to navigate to "Network→WAN". You should see a web page like in the picture below.

```
[[File:{{{wan settings page}}}|border|class=tlt-border]]
```

How to set up your **WAN** configuration can be found <u>here</u>.

Step 2: Configure VLANs

When **WAN** configuration is done, it's time to configure VLAN's. VLAN configuration can be found by navigating to "Network-VLAN". You should see a page like in the picture below.

```
[[File:{{{vlan_settings_page}}}}|border|class=tlt-border]]
```

Now press the "ADD" button, which is located in the "VLANS ON SWITCHO" section.

```
[[File:{{{vlan section add}}}|border|class=tlt-border]]
```

A new row should appear in the "VLANS ON SWITCHO" section.

[[File:{{{vlan section configuration}}}|border|class=tlt-border]]

- 1. Now lets configure the new added VLAN:
 - 1. Change the ID of VLAN to your ISP VLAN ID on which IPTV is working
 - 2. Change your desired LAN port to "untagged"
 - 3. Change WAN port to "tagged"

```
[[File:{{{vlan section configurated}}}|border|class=tlt-border]]
```

After changing the values press the "SAVE & APPLY" button for our configuration to take effect.

Different ISP will provide IPTV service on different VLAN ID. In our case the ID number is 6.

The "untagged" port can be only one in the column.

VLAN configuration is now done. If you need a more detailed explanation about VLANs, you can find it here.

Step 3: Configure LAN

After configuring VLAN, the desired port does not have an IP address because now that port is using a new interface which has no configuration yet. You can configure the interface through LAN configuration page. The **LAN** configuration page can be found by navigating to "Network→LAN".

[[File:{{{lan settings page}}}|border|class=tlt-border]]

- 2. Now lets add an interface for the new added VLAN:
 - 1. Write your desired name for the interface in the "NAME" field
 - Select the new created interface from the interface list. It should be named like this eth0.
 - 3. Click the "ADD" button

[[File:{{{lan add interface}}}|border|class=tlt-border]]

- 3. You will be redirected to **LAN** configuration page:
 - 1. Click the "SWITCH PROTOCOL" button

[[File:{{{lan_switch_protocol}}}}|border|class=tlt-border]]

- 4. After changing the protocol a more detailed configuration page should appear:
 - 1. Change the IP address of your interface into your desired one
 - 2. Select the necessary netmask for your subnet
 - 3. Enable DHCP server

[[File:{{{lan interface configuration}}}|border|class=tlt-border]]

After changing the values press the "SAVE & APPLY" button for our configuration to take effect.

After saving the configuration, you should be redirected to main **LAN** page.

[[File:{{{lan_interface_configurated}}}|border|class=tlt-border]]

If you need a more detailed explanation about LANs, you can find it here.

Step 4: Configuration testing

When **WAN**, **VLAN** and **LAN** configuration is done, it's time to connect your STB to the router. Don't forget, you need to connect your STB to that port that was selected in the **VLAN** section. If you did everything as it was written, by this time you should have been started enjoying your IPTV. Good watching.

Conclusion

It is easy to change the router provided by your ISP to a router from RUTX series. You only need to know the VLAN ID, which is usually specified on ISP website.