TRB142 Product Change Notifications

Main Page > TRB Gateways > TRB142 > TRB142 Product Change Notifications

Product change notifications (PCN) is a way of informing customers of upcoming changes related to Teltonika Networks products. This includes outward appearance adjustments, hardware improvements, changes to package contents, etc. Changes related to a product's firmware are not included in PCNs (click here to see the firmware changelog).

This page stores information regarding changes to the TRB142 device. Below you will find a list of both upcoming and already implemented changes sorted by newest to oldest (top to bottom).

Contents

- 1 2024.05.15: SMA Connector Update
- 2 2024.03.08: Reset button functionality change RutOS 7.07
- 3 2023.10.16: Firmware Requirement Change
- 4 2023.02.13: MAC address range change
- <u>5 2022.11.25</u>: Default password change
- 6 2022.11.25: QSG flyer replacement
- 7 2022.11.25: Changes in engraving/labeling
- 8 2020.08.14: changes in bottom labeling
- 9 2020.06.12: RUTOS support
- 10 2019.05.30: New housing
- <u>11 2019.05.20</u>: Power supply unit (PSU) changed

2024.05.15: SMA Connector Update

Starting from August 2024, TRB142 devices will be manufactured with updated SMA connectors.

PCN Number: PCN_TRB142_SMA_2024.05.15		
Change description		
Change type	Hardware change	
Detailed description	Starting in August 2024, TRB142 devices will be manufactured with updated RP-SMA and SMA connectors. This update will not affect the functionality of the SMA connectors; it is only a change in their form. In the photos displayed below, you can see the change. Please note that this change will be implemented gradually, throughout a 3-month transitional period starting in August 2024. During this period, your shipments of TRB142 may consist of either the current design or the new one described above.	
	Current design:	Updated design:
	×	×
Change reasons	This will improve the effectiveness of device manufacturing.	
Affected products information		
Model	Affected order codes	Order code changes
TRB142	TRB142 *****	No changes
Upcoming change date	August 2024	
Change impact		
Risk assessment	No risk factors are asociated with this change. Please note: this product change notification does not affect any previous TRB142 devices, except new TRB142 devices that will be manufactured with this change.	
Suggested implementation plan	Information included in this PCN will help adapt to the upcoming changes. For more detailed information, please contact your sales representative.	
Acknowledgement of PCN receipt		

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, <u>click here</u>.

2024.03.08: Reset button functionality change RutOS 7.07

With the release of RutOS version 7.07, TRB142 device will experience changes related to the security improvements of the device.

PCN Number: PCN_RUTOS_CHANGE_2024_03_08_EN Change description

Change type Firmware change

Previously, during device resets, logs, RMS connection state data, and SIM PIN settings remained unchanged. However, starting with

RutOS firmware version 7.07, all devices will uniformly reset logs, RMS connection state data, and SIM PIN settings to factory Detailed description defaults when using the reset button. Other reset methods, including WebUI, SMS, and others, will remain unimpacted by this

change.

Increasing security

Affected products information

Model Affected order codes Order code changes TRB142 ***** TRB142 No changes

Upcoming change date 2024 Q2, with the release of RutOS 7.07

Change impact

• The loss of device logs upon utilizing the reset button may disrupt operational records and slow down subsequent troubleshooting

· Failure to set up the SIM PIN post-reset via the reset button may result in SIM card lockout due to repeated incorrect PIN entries, Risk assessment

causing service disruption and requiring either SIM replacement or PIN reset.

• The device is still visible in RMS post-reset but cannot be accessed. Therefore, re-adding the device to RMS is necessary for

Suggested implementation plan

Information included in this PCN will help adapt to the upcoming changes. For more detailed information, please contact your sales

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, click here.

2023.10.16: Firmware Requirement Change

Starting from November 2023, all TRB142 devices will be manufactured with a new firmware version. They will require firmware version TRB1 R 00.07.05 or newer.

Change description

Change type Firmware Requirement Change

Starting November 2023, all TRB142 devices will be manufactured with a new firmware version. They will require firmware version

TRB1_R_00.07.05 or newer. Downgrading to previous firmware versions will no longer be supported.

Please note that this change will be implemented gradually, throughout a 4-month transitional period starting from November 2023.

During this period, your shipments of TRB142 may consist of either the previous version or the new one described above. Detailed description

Change reasons

Affected products information

All TRB142 ****** product codes are affected. No product code changes.

Product release date November 2023

Change impact

No risk factors are associated with this change.

Risk assessment Please note: this product change notification does not affect any previous TRB142 devices, except new TRB142 devices.

Suggested implementation plan For more detailed information please contact your sales representative.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, <u>click here</u>.

2023.02.13: MAC address range change

All Teltonika Networks devices manufactured starting from 2023, week 9 will have additional new MAC address range.

Support newest Quectel modem firmware Change description

All Teltonika Networks devices manufactured starting from 2023, week 9 may have a MAC address from the new MAC address range Detailed description

Change reasons Endpoint of the previous MAC address range.

Affected products information

Model Affected order codes Order code changes All Teltonika Networks devices All order codes No changes

Upcoming change date 2023, week 9

Change impact

Risk assessment. Device install procedures or any automated solutions might need modifications. Suggested implementation plan For more detailed information please contact your sales representative.

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, click here.

2022.11.25: Default password change

All TRB142 devices manufactured starting from 2022, week 50, will have unique default password.

Change description

Change type Default password change.

Detailed description TRB142 devices manufactured starting from Q4 2022 will have unique default password.

Change reasons Increasing device security.

Affected products information

Model Affected order codes Order code changes TRB142 TRB142 ***** No changes

Upcoming change date 2022, week 50

Change impact

Device install procedures or any automated solutions might need modifications. Please note: this product change notification does Risk assessment

not affect any previous TRB142 devices.

Suggested implementation plan For more detailed information please contact your sales representative.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, click here.

2022.11.25: QSG flyer replacement

Starting from 2022, week 50, TRB142 gateway will come with a new QSG flyer in the packaging.

Change description

Change type Replacement of OSG flver

TRB142 devices manufactured starting from Q4 2022 will have a new QSG flyer in the packaging. The new QSG flyer includes the

New design:

short version of QSG with a QR code/link to the full Web QSG version: teltonika-networks.com/QSG_TRB142

Detailed description Previous design:

The new flyer will include QR codes with URL links to RMS and the Web version of the QSG (Quick Start Guide) for the TRB142.

Change reasons Reducing environmental impact.

Affected products information

Model Affected order codes Order code changes TRB142 ***** TRB142 No changes

Upcoming change date 2022, week 50

Change impact

Marketing material such as photos might need replacing.

Suggested implementation plan Information included in this PCN will help adapt to the upcoming changes.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, click here.

2022.11.25: Changes in engraving/labeling

Starting from 2022, week 50, TRB142 gateways will be produced with modified bottom engraving/labeling.

Change description

Change type External/visual

> The device's unique default password will be added to the bottom engraving/labeling. The formatting for the remaining information on the labeling/engraving will be adjusted, and the Fira font will be used instead of Arial. The device's unique default password information will also be added to the QR code Information displayed after scanning QR code with syntax:

SN:{{SN}};I:{{IMEI}};M:{{MAC}};U:admin;PW:{{DEVICEPASSWORD}};B:{{BATCH}};

From the device top engraving/labeling, the previously relevant authentication information text will be removed: User/Pass:

admin/admin01 Detailed description

The labeling on the product packaging will stay unchanged.

Old top engraving/labeling: New top engraving/labeling: Old bottom engraving/labeling: New bottom engraving/labeling:

Change reasons To accommodate the change from the standard default password to a unique default password for each device.

Affected products information

Model Affected order codes Order code changes TRB142 ***** TRB142 No changes Upcoming change date 2022, week 50

Change impact

Changes to top labeling/engraving. Device's unique default password will be present on the product itself. This might impact Risk assessment

marketing materials due to changing contents of the bottom informational engraving/labeling

Suggested implementation plan No implementation plan needed.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, click here.

2020.08.14: changes in bottom labeling

Effective 2020, week 36, TRB142 gateways will be produced with modified bottom labeling/engraving.

Change description

Change type External/visual

The product code will be removed from the bottom labeling/engraving. The formatting for the remaining information on the

labeling/engraving will be adjusted. Product code information will also be removed from the OR code.

The labeling on the product packaging will stay unchanged. Detailed description

> Old version: New version: ×

Placing product code on the product itself is misleading, product code describes what is included in the product equipment package, Change reasons

not in the product itself.

Affected products information

All TRB14* ****** product codes are affected. No product code changes.

Product release date 2020, week 36

Change impact Risk assessment

The exact product code will not be present on the product itself, the exact product code will be found on the packaging box or determined by serial number. This might impact marketing materials due to changing contents of the bottom informational laser

Suggested implementation plan No implementation plan needed

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, click here.

2020.06.12: RUTOS support

Effective since June 03, 2020, TRB142 support RutOS v2.3, available at TRB142 Firmware

downloads.

Change description

Change type Firmware

Detailed description Added RutOS Support for TRB14x series gateways

Until now different TRB series gateways had their own FW version depening on LTE module. After this update FW will become Change reasons

common to all TRB14x gateways.

Affected products information

Model Affected order codes Order code changes **TRB142** TRB142 ****** No changes

Change impact

Migration from TRB1420 R 00.01.06.1 or older requires Legacy firmware Risk assessment

RutOS v2.3 includes Basic and Advanced modes, so some functionality may appear missing until Advanced mode is selected

Suggested implementation plan Special preparations are unneeded

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, click here.

2019.05.30: New housing

Effective July, 2019, TRB142 devices will be produced with new rugged housing.

Change description

Rugged housing standard order code added Change type

Detailed description Power supply unit changed

Before: After:

Change reasons Improved ruggedness.

Affected products information

Standard order code will include housing

New standard code Optional order code (without housing) Device

TRB142 TRB142003000 TRB142000000

Product release date July, 2019

Change impact

Pricing and lead time may be subject to change. Risk assessment

Marketing material such as photos or specification changes.

Suggested implementation plan Updated marketing material can be found here. For more detailed, information please contact your sales representative.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, <u>click here</u>.

2019.05.20: Power supply unit (PSU) changed

Effective June, 2019, TRB142 devices will be sold with new power supply units (PSU).

Change description

Change type Power supply

Detailed description Power supply unit changed

Current PSUs:

PSU specifications

Electrical

Dimensions

EU: 26 x 74 x 43 mm EU: 26 x 59 x 41 mm UK: 48 x 73 x 47 mm UK: 50 x 62 x 49 mm US: 26 x 74 x 43 mm US: 26 x 59 x 41 mm AU: 40 x 74 x 51 mm AU: 41 x 59 x 49 mm

9 VDC. 1 A (9 W)

New PSUs-

9 VDC. 0.5 A (4.5 W)

Change reasons Power supply optimized for TRB14x series devices.

Affected products information

Model Affected order codes Order code changes TRB14* TRB14* ***** No changes Product release date June, 2019

Change impact

Risk assessment Marketing material such as photos or specification changes.

Marketing material can be found here. Suggested implementation plan PSU datasheets can be found here. Information included in this PCN will help adapt to the upcoming changes.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

To download the pdf version of this notification, <u>click here</u>.