

https://wiki.teltonika-networks.com/view/TRB143\_%E3%82%AF%E3%82%A4%E3%83%83%E3%82%AF%E3%83%BB%E3%82%B9%E3%82%BF%E3%83%BC%E3%83%88%E3%83%BB%E3%82%AC%E3%82%A4%E3%83%89

# TRB143

Main Page > TRB Gateways > TRB143 > QSG TRB143 > TRB143

English

Wiki TRB143 M-Bus LTE QSG TRB143

## Contents

- 1
- 1.1
- 1.2 ANATEL
- 1.3 NOM
- 1.4 RF
- 1.5
- 1.6
- 1.7
- 1.8
- 2
- 3
- 4
- 5
- 6
- 7 Windows
- 8
- 9 SIM

RF 2G, 3G, 4G


RF 33 dBm@GSM, 24 dBm@WCDMA, 23 dBm@LTE

0.6 A@100-240 VAC, 12 VDC, 1.5A, 4

699-868/1850-2690 MHz, 50 Ω, VSWR<3, 1 dBi, SMA





 [https://wiki.teltonika-networks.com/view/TRB143\\_UKCA](https://wiki.teltonika-networks.com/view/TRB143_UKCA)

## RF

---

RF 20cm RF

TRB142 20 cm RF

RF

### RF

GSM 33 dBm  
WCDMA 24 dBm  
LTE 23 dBm

### RF

---

- -40° 75°
- 10 90
- 
- 

### RF

---

- 
- 
- 

### RF

---

- 
- 
- 1mm2





