

TSW304 CE

[Main Page](#) > [TSW Switches](#) > [TSW304](#) > [TSW304 Certification & Approvals](#) > **TSW304 CE**



CE logo

The **Electromagnetic Compatibility Directive** (2014/30/EU) ensures that electrical and electronic equipment does not generate, or is not affected by, electromagnetic disturbance.

The **Low Voltage Directive** (2014/35/EU) ensures that electrical equipment within certain voltage limits provides a high level of protection for European citizens, and benefits fully from the single market. It has been applicable since 20 April 2016.



Contents

- [1 Description](#)
- [2 Standards applied](#)
- [3 Attachments](#)
- [4 External links](#)

Description

The EMC directive limits electromagnetic emissions from equipment in order to ensure that, when used as intended, such equipment does not disturb radio and telecommunication, as well as other equipment. The directive also governs the immunity of such equipment to interference and seeks to ensure that this equipment is not disturbed by radio emissions, when used as intended.

The LVD covers health and safety risks on electrical equipment operating with an input or output voltage of between:

- 50 and 1000 V for alternating current
- 75 and 1500 V for direct current

EU legislation in the electrical sector is important to ensure that health and safety requirements are the same across Europe for products placed on the market.

Standards applied

The conformity with the essential requirements has been demonstrated against the following harmonized standards:

Standard	Directive
EN 62368-1:2018	Low Voltage (2014/35/EU)
EN 55032:2015+A1:2020	Electromagnetic Compatibility (2014/30/EU)
EN 55035:2017+A11:2020	

Therefore  is placed on the product.

Attachments



Declaration of Conformity

To download a PDF version of the declaration, [click here](#).

External links

- [Electromagnetic compatibility harmonized standards](#)
- [Low voltage harmonized standards](#)

Disclaimer:

Test reports that are referenced in declarations and certificates can be provided upon request. For the request to be approved, the recipient of the test reports should be a certification authority or certified test house. The recipients will be asked to sign a non-disclosure agreement (NDA).