PPT5 random

Contents

- <u>1 Introduction</u>
- <u>2 Configuration overview and prerequisites</u>
- <u>3 Introduction</u>
- <u>4 Configuration overview and prerequisites</u>
- <u>5 Configuration overview and prerequisites</u>

Introduction

Point-to-Point Tunneling Protocol (**PPTP**) is a Virtual Private Network (VPN) protocol that uses a TCP control channel and a Generic Routing Encapsulation (GRE) tunnel to encapsulate PPP packets.

This article provides an extensive configuration example with details on how to create a connection between a PPTP Server and Client, both of which configured on RUTxxx routers.

Configuration overview and prerequisites

Before we begin, let's overview the configuration that we are attempting to achieve and the prerequisites that make it possible.

Prerequisites:

- Two RUTxxx routers of any type (excluding RUT850)
- A SIM card with a Public Static or Public Dynamic IP address for the PPTP Server
- An end device (PC, Laptop, Tablet, Smartphone) to configure the routers

Configuration scheme:

×

As indicated by the figure above, the configuration we are trying to achieve here is very basic: it concerns two RUTxxx routers - RUT1 and RUT2. One functions as a PPTP Server, the other - a PPTP Client. They are connected into a virtual network via a PPTP Tunnel.

Introduction

Point-to-Point Tunneling Protocol (**PPTP**) is a Virtual Private Network (VPN) protocol that uses a TCP control channel and a Generic Routing Encapsulation (GRE) tunnel to encapsulate PPP packets.

This article provides an extensive configuration example with details on how to create a connection between a PPTP Server and Client, both of which configured on RUTxxx routers.

Configuration overview and prerequisites

Before we begin, let's overview the configuration that we are attempting to achieve and the prerequisites that make it possible.

Prerequisites:

- Two RUTxxx routers of any type (excluding RUT850)
- A SIM card with a Public Static or Public Dynamic IP address for the PPTP Server
- An end device (PC, Laptop, Tablet, Smartphone) to configure the routers

Configuration scheme:

×

As indicated by the figure above, the configuration we are trying to achieve here is very basic: it concerns two RUTxxx routers - RUT1 and RUT2. One functions as a PPTP Server, the other - a PPTP Client. They are connected into a virtual network via a PPTP Tunnel.

Point-to-Point Tunneling Protocol (**PPTP**) is a Virtual Private Network (VPN) protocol that uses a TCP control channel and a Generic Routing Encapsulation (GRE) tunnel to encapsulate PPP packets.

This article provides an extensive configuration example with details on how to create a connection between a PPTP Server and Client, both of which configured on RUTxxx routers.

Configuration overview and prerequisites

Before we begin, let's overview the configuration that we are attempting to achieve and the prerequisites that make it possible.

Prerequisites:

- Two RUTxxx routers of any type (excluding RUT850)
- A SIM card with a Public Static or Public Dynamic IP address for the PPTP Server
- An end device (PC, Laptop, Tablet, Smartphone) to configure the routers