Template:Networking rutx12 manual power consumption table

Idle, no SIM cards inserted (9 V)	Test type	Current (mA) 410	Power consumption (W) 3.69
Idle, no SIM cards inserted (12 V)		308	3.70
Idle, no SIM cards inserted (24 V)		155	3.72
Idle + mobile data on ¹ (1 SIM card) (9 V) Idle + mobile data on ¹ (1 SIM card) (12 V) Idle + mobile data on ¹ (1 SIM card) (24 V)	Test type	Current (mA) 419 313 162	Power consumption (W) 3.77 3.76 3.89
	Test type	Current (mA)	Power consumption (W)
Idle + mobile data on 1 (2 SIM cards) (9 V)		424	3.82
Idle + mobile data on 1 (2 SIM cards) (12 V)		319	3.83
Idle + mobile data on ¹ (2 SIM cards) (24 V)		164	3.94
	Test type	Current (mA)	Power consumption (W)
Mobile data on 1 + 1 LAN device connected 2 (2 SIM cards) (9 V)		454	4.09
Mobile data on 1 + 1 LAN device connected 2 (2 SIM cards) (12 V)		340	4.08
Mobile data on 1 + 1 LAN device connected 2 (2 SIM	cards) (24 V)	173	4.15
	Test type	Current (mA)	Power consumption (W)
Max speed LTE transmission $+$ 5 LAN devices connected 2 + high CPU load 3 + data transfer via WiFi + GPS on + USB device connected 4 + 1 paired Bluetooth device (9 V)		1305	11.75
Max speed LTE transmission $+$ 5 LAN devices connected 2 + high CPU load 3 + data transfer via WiFi + GPS on + USB device connected 4 + 1 paired Bluetooth device (12 V)		976	11.72
Max speed LTE transmission $+$ 5 LAN devices connected 2 + high CPU load 3 + data transfer via WiFi + GPS on + USB device connected 4 + 1 paired Bluetooth device (24 V)		495	11.88

 $^{^{\}scriptscriptstyle 1}$ - Only mobile data connection established with no additional traffic.

Power consumption may differ due to mobile data transmission speed, testing environment and conditions.

² - Data streams between RUTX12 and other connected LAN devices created using iPerf.

³ - Load created using *md5sum* (calculation and verification of 128-bit MD5 hashes).

 $^{^{\}scriptscriptstyle 4}$ - USB device with \sim 300 mA current draw.